

SINCE 1960

Thrush






& SON[®]
Complete Home Improvement
CO

Product Catalog



Product Lines

Thrush & Son is proud to offer the highest quality products in the home improvement industry.



Index

This product guide contains list prices for a selection of the product lines we carry. For additional information on all products, call Thrush & Son at [888.349.8889](tel:888.349.8889).

- [3](#) Hardware & Locksets
- [7](#) Storm Doors
- [9](#) Aluminum Columns
- [12](#) Aluminum Railing
- [13](#) Fiberglass Columns
- [16](#) Fiberglass Pergolas
- [17](#) Attic Stairways
- [19](#) Skylights
- [20](#) Shutters
- [21](#) Garage Doors
- [28](#) Moulding & Trim
- [29](#) Exterior Doors

Schlage Locksets

Schlage makes the small details count!

Express yourself with a range of contemporary handles that are world-renowned for their quality. Easy to install, durable and secure, each handle comes with a lifetime warranty that gives peace-of-mind.


Schlage F Series Levers and Knobs (F10, F40, F51 & F59)




Schlage B Series Deadbolt (B60 & B62)



Schlage F Series Exterior Handlesets (F58 & F59 make a complete set)



Schlage Electronic Locks and Deadbolts (FE595 & BE365)



Schlage Locksets

X = NOT AVAILABLE

Style	Function				Finish Availability*											
	F10	F40	F51	F59	605	609	613	618	619	620	621	622	625	626	716	
Accent					x	x	x	x	x	x	x	x	x	x	x	
Avanti						x			x						x	
Avilla					x	x			x				x	x	x	
Birmingham									x				x		x	
Broadway									x			x	x	x	x	
Callington									x						x	
Champagne									x						x	
Elan					x	x			x			x	x	x		
Flair					x	x			x	x			x	x	x	
Latitude								x	x			x	x	x	x	
Manhattan									x				x	x	x	
Merano									x			x	x	x	x	
St. Annes							x		x						x	
Andover					x	x	x		x	x			x	x	x	
Bowery								x	x			x	x	x	x	
Georgian					x	x			x	x	x	x	x		x	
Orbit					x				x				x	x		
Plymouth					x	x			x	x		x	x	x	x	
Sienna					x	x			x	x		x	x	x	x	

F10 - Passage F40 - Privacy F51 - Keyed entrance F59 - Inside trim of handleset F170 - Dummy
 F170 Dummy locksets available.

X = NOT AVAILABLE

Style	Function	Finish Availability*												
		F58	605	609	613	618	619	620	621	622	625	626	716	
Addison				x				x	x	x	x	x		x
Camelot				x	x		x	x	x		x	x		x
Century							x	x			x	x	x	x
Plymouth				x	x	x	x	x	x		x	x	x	x
Wakefield							x	x	x		x	x		x

F58 - Outside trim of handleset

X = NOT AVAILABLE

Style	Function		Finish Availability*											
	B60, Single Cyl.	B62, Double Cyl.	605	609	613	618	619	620	621	622	625	626	716	
Deadbolt			x	x	x	x	x	x	x	x	x	x	x	


Style	Function		Finish Availability*											
	FE595	BE365	605	609	613	618	619	620	621	622	625	626	716	
CAM/GEO				x			x						x	
CAM/ACC				x			x	x				x	x	
Camelot				x			x	x				x	x	
Plymouth				x			x	x				x	x	

FE595 - Keypad Knob/Lever (flex-lock)

BE365 - Keypad Deadbolt (flex-lock)

*All finishes priced the same

Schlage J Series Locks (STOCK)



Finish	605	609	619	716
Keyed Entrance, J54				
Corona				
Stratus				
Lasalle				
Single Cyl DB, JD60				
DB				
Outside trim of handleset, JH58				
Barcelona				
Paris				
Inside trim of handleset, JH59				
Corona				
Stratus				
Lasalle				

Trillenium Multi-Point Locking Systems

Trillenium Delivers!

Trillenium delivers 3x the strength, 3x the security and 3x the performance with one multi-point locking system, resulting in maximum peace of mind and homeowners satisfaction. Trillenium's superior strength works when others fail, achieving the industry's highest rating for structural and forced entry testing.

Level one - Trillenium® Hardware



6/8 height*				
Style	Finish			
	Victorian Bronze	Brushed Nickel	Bright Brass	Black Powder Coat
Eclipse Grip				
Eclipse Entry				
Horizon				
Pinnacle				
Rectangular				
Curved				

8/0 height*				
Style	Finish			
	Victorian Bronze	Brushed Nickel	Bright Brass	Black Powder Coat
Eclipse Grip				
Eclipse Entry				
Horizon				
Pinnacle				
Rectangular				
Curved				

*Includes handleset and mechanism, installed into the respective height door.

Dummy Handle Sets - All heights**				
Style	Finish			
	Victorian Bronze	Brushed Nickel	Bright Brass	Black Powder Coat
Eclipse Grip				
Eclipse Entry				
Horizon				
Pinnacle				
Rectangular				
Curved				

**Add in addition to an above handleset & mechanism combination.

Add on's	
French doors, add	
Outswing doors, add	

Level two - EMTEK® Hardware

EMTEK® brings interesting, well made hardware back into American homes. All EMTEK® Hardware is available for entry, patio, inactive and dummy functions. Call for more information.

Level three - Rocky Mountain Hardware®

Rocky Mountain Hardware® brings style and elegance to your entry. Rocky Mountain Hardware® offers many customizable styles. Call for more information.



Maxgrade Commercial Hardware

Quality and Value – to the *MAX!*

Trust Maxgrade for your commercial hardware needs. Maxgrade offers grade 1 hardware backed by a lifetime mechanical and finish warranty.



Part #	Description
MED100Alum/DKB3	Push bar
MED200Alum/DKB3	Push bar w/ vertical rod
MDC300Alum/DKB	Pneumatic Closer
MET100L 32D/10B	Push bar exterior trim - lever
MET300L 32D/10B	Push bar exterior trim - keyed lever
MET100TP 32D/10B	Push bar exterior trim - thumb latch
MET300TP 32D/10B	Push bar ext. trim - keyed thumb latch
D300Penn 26D/10B	Keyed entry lever
DB101 26D/10B	Keyed deadbolt, Single cylinder

All Maxgrade locks listed are rated GRADE 1

All styles available in your choice of aluminum finish or dark bronze finish. Please specify.

All push bar combinations can be used with no exterior trim or as a combination of a push bar with your choice of active lever or locking lever exterior trim sets.



Gerkin Storm Doors

Why Gerkin?

Gerkin Windows and Doors has been building storm doors for over 60 years. Our experience tells us that many companies try to build a door that fits a particular price point while forgetting about quality and value.

Gerkin offers three storm door categories: Classic, Uniquely Yours and Cabrio. All of our doors are guaranteed for as long as you own your home.



Features



Lifetime Hinges: Self lubricating extruded aluminum hinges with an exclusive lock-in feature.



Foam Insulated Frame: Heavy duty, smooth aluminum with baked-on enamel finish is foam insulated for better energy efficiency.



Concealed Installation screws: All Gerkin doors come with z-bar screw covers. This ensures a clean and finished appearance from the outside.



Aluminum Clad, Polyethylene Core Kick Panels: Our kick panels are built "kid tough" to withstand years of daily use.



Adjustable Sill Expander: Two flexible sweeps and our sloped design expander provide a tight seal at the threshold.



Deep Wool Pile Weatherstripping: This excellent weatherstripping seals out the elements at the head and jams.

Classic Storm Doors

Featuring Gerkin's best selling doors, using the most popular combinations of models, colors and hardware. The Gerkin classic program gives you everything you would expect from a premium storm door, no matter what your price range or home style might be.



9C1A

- Convenient self-storing ventilation; no glass to store
- Sturdy high kick design takes abuse from pets and children
- Stylish ergonomically friendly handle looks and feels great
- Heavy-duty extruded mainframe for long trouble-free life
- **Available in white or bronze, 32" or 36"**



9C2A

- Convenient self-storing ventilation; no glass to store
- Large glass area provides light and ventilation
- Stylish ergonomically friendly handle looks and feels great
- Heavy-duty extruded mainframe for long trouble-free life
- **Available in white or bronze, 30", 32" or 36"**



9C4A

- Classic full-view design enhances entry
- Stylish ergonomically friendly handle looks and feels great
- Comes with heavy-duty screen
- Heavy-duty extruded mainframe for long trouble-free life
- **Available in white or bronze, 32" or 36"**



9C5A

- Full-view design enhances entry, vent reduces heat build-up
- Stylish ergonomically friendly handle looks and feels great
- Heavy-duty extruded mainframe for long trouble-free life
- **Available in white, bronze, or sandstone, 32" or 36"**






8C9A

- Full-view design with retractable screen
- Built-in balances offers an easy-to-operate sash
- Stylish ergonomically friendly handle looks and feels great
- 1 3/4" Heavy-duty extruded mainframe for long trouble-free life
- **Available in white, 36"**

Classic Series	
9C1A	
9C2A	
9C4A	
9C5A	
8C9A	

Classic series doors come standard with color matched Dakota hardware.



Gerkin Storm Doors

Uniquely Yours

If you want a door perfectly designed for your home, your budget and your lifestyle, our "Uniquely Yours" series offers you a huge range of custom combinations. Choose the model, choose the color, choose the hardware and choose your options.



Step 1: Choose your door	
901	
902	
903	
904	
905	
906	
907	
911	
912	
914	
916	
943	
949	
801	
802	
809	

Cabrio

A new generation of storm doors highlighted by a retractable screen, which is hidden away in the head the door when ventilation isn't needed, thus giving a beautiful clear view.



Step 2: Choose your hardware	
Dakota (color matched)	
Plated Dakota w/ DB	
Plated Seville w/ DB	

- Dakota hardware includes 1 HD closer & wind chain
- Seville hardware include 2 LD closers
- Plated hardware available in brass, pewter, or oil rubbed bronze

X = NOT AVAILABLE

	901	902	903	904	905	906	907	911	912	914	916	943	949	801	802	809
Almond	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Bronze	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Sandstone	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
White	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Green			x	x	x	x	x				x	x				
Black			x	x	x	x	x				x	x				
30" x 81"		x														
32" x 81"	x	x	x	x	x	x	x	x	x	x			x	x	x	x
36" x 81"	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x
Custom Size	x	x	x	x	x	Quote only	x	x	x	x			x	x	x	x

Step 3: Pick your accessories		
Brass sill expander	Traditional molding	Change 2 LD closer to 2 HD
Pewter sill expander	Provincial molding	Change 1 HD closer to 2 HD
Head ventilator	Prechung Doors	Change 1 HD closer to 2 LD

Double door kits

Custom widths 29" through 38" or custom heights 73" through 88"

Custom widths 24"-29" or 38"-42" or custom heights 68"-73" or 88"-98"

Superior Aluminum Columns

Strong, Durable and Corrosion-Free Aluminum

Utilizing strong, durable and corrosion-free aluminum, Superior Aluminum offers beautiful aluminum products, built to last a lifetime at an exceptional value to suit any builders needs.

Round Fluted	
Column Size	
6" X 8'	
6" X 9'	
6" X 10'	
6" X 12'	
8" X 8'	
8" X 9'	
8" X 10'	
8" X 12'	
8" X 14'	
8" X 16'	
10" X 8'	
10" X 9'	
10" X 10'	
10" X 12'	
10" X 14'	
10" X 16'	
10" X 18'	
10" X 20'	
12" X 8'	
12" X 9'	
12" X 10'	
12" X 12'	
12" X 16'	
12" X 18'	
12" X 20'	
15" X 12'	
15" X 16'	
15" X 18'	
15" X 20'	
15" X 24'	
18" X 16'	
18" X 18'	
18" X 20'	
18" X 24'	
18" X 30'	
24" X 16'	
24" X 18'	
24" X 20'	
24" X 24'	
24" X 30'	
30" X 18'	
30" X 20'	
30" X 24'	
30" X 30'	

Round Caps and Bases	
Size	
6"	
8"	
10"	
12"	
15"	
18"	
24"	
8"	
10"	
12"	
15"	
18"	
24"	
30"	
8"	
10"	
12"	
15"	
18"	
24"	
8"	
10"	
12"	
15"	
18"	
24"	
6"	
8"	



Standard



Doric



Scamozzi*



Corinthian*

Poly Wrap-around

* comes with standard base



- Available white, sandstone, tan, almond, or mill finish.
- Brown - 6" and 8" only.
12" round and larger




Most columns available based on a one week lead time.

Superior Aluminum Columns

Square Fluted	
Column Size	
4" X 8'	
4" X 9'	
4" X 10'	
4" X 12'	
6" X 4'	
6" X 8'	
6" X 9'	
6" X 10'	
6" X 12'	
8" X 4'	
8" X 8'	
8" X 9'	
8" X 10'	
8" X 12'	
8" X 16'	
10" X 8'	
10" X 9'	
10" X 10'	
10" X 12'	
10" X 16'	
10" X 18'	
10" X 20'	
12" X 8'	
12" X 9'	
12" X 10'	
12" X 12'	
12" X 16'	
12" X 18'	
12" X 20'	
12" X 24'	
16" X 16'	
16" X 18'	
16" X 20'	
16" X 24'	
16" X 30'	



Square Panel	
Column Size	
6" X 4'	
6" X 8'	
6" X 9'	
6" X 10'	
6" X 12'	
8" X 4'	
8" X 8'	
8" X 9'	
8" X 10'	
8" X 12'	
8" X 16'	
10" X 8'	
10" X 9'	
10" X 10'	
10" X 12'	
10" X 16'	
10" X 18'	
10" X 20'	
12" X 8'	
12" X 9'	
12" X 10'	
12" X 12'	
12" X 16'	
12" X 18'	
12" X 20'	
12" X 24'	
16" X 16'	
16" X 18'	
16" X 20'	
16" X 24'	



Square Panel Cap and Base (tabbed)*		
Size	Set	Each
6"		
8"		




*New square panel caps and bases will not fit wrap-around columns. All wrap-around columns will require the use of the standard or decorative cap and base with panel inserts.

- All square columns are load bearing and can also be used as wrap-around columns. Please specify your cap and base style.
- Available white, sandstone, tan, almond, mill finish, brown, black, and dark bronze.
- Brown, black, and dark bronze - available 6" and 8". (brown - square fluted only.)



Square Panel Column Inserts**	
Size	
6"	
8"	
10"	
12"	
16"	



Superior Aluminum Columns

Square Smooth	
Column Size	
4" X 8'	
4" X 10'	
6" X 4'	
6" X 8'	
6" X 9'	
6" X 10'	
6" X 12'	
8" X 4'	
8" X 8'	
8" X 9'	
8" X 10'	
8" X 12'	
8" X 16'	
10" X 8'	
10" X 9'	
10" X 10'	
10" X 12'	
10" X 16'	
10" X 18'	
10" X 20'	
12" X 8'	
12" X 9'	
12" X 10'	
12" X 12'	
12" X 16'	
12" X 18'	
12" X 20'	
12" X 24'	



Standard



Doric




Charleston*



Savannah


Poly Wrap-around

Square Caps and Bases	
Size	
4"	
6"	
8"	
10"	
12"	
16"	
6"	
8"	
10"	
12"	
16"	
6"	
8"	
10"	
12"	
16"	
6"	
8"	
10"	
12"	
16"	
6"	
8"	



*Charleston cap comes with the standard base.
 Savannah base comes with the standard cap.


Square Smooth Trim Piece		
Size		Price
6"	\$	30.75
8"	\$	31.45
10"	\$	31.95
12"	\$	34.25



Bearing Plates	
Size	Dimension
4"	1/8" X 5" X 5"
6"	1/8" X 7" X 7"
8"	1/8" X 9 1/2" X 9 1/2"
10"	1/8" X 11 1/2" X 11 1/2"
12"	1/8" X 13 3/8" X 13 3/8"
15"	1/8" X 17" X 17"
18"	1/4" X 20" X 20"
24"	1/4" X 26 1/2" X 26 1/2"



Column Post Caps	
	Size
Standard	4"
	6"
	8"
	10"
Charleston	12"
	6"
	8"
	10"
Doric	12"
	6"
	8"
	10"
	12"



Aluminum "L" Brackets	
Part #	Size
LBAG1	Bag of 4 "L" Brackets (LBRKT1)
LBRKT1	1/8" X 1" X 1" X 3/4"
LBRKT2	1/8" X 1" X 1" X 1 1/2"
LBRKT3	3/16" X 1 1/4" X 1 1/4" X 1 1/2"

Superior Aluminum Railing

Series 600, Residential railing kit

Knocked Down Railing Kit			
Description	Part Number	32" High	36" High
For Level Area			
4 foot railing package	A324L		
6 foot railing package	A326L		
4 foot railing package	A364L		
6 foot railing package	A366L		
For Step Area			
4 foot railing package	A324S		
6 foot railing package	A326S		
4 foot railing package	A364S		
6 foot railing package	A366S		
Post and wall brackets			
32" Post (w/ cap & base)	AP32		
36" Post (w/ cap & base)	AP36		
32" Wall plate	AW32		
36" Wall plate	AW36		

Custom residential and commercial railing available. Please call for more information.



Superior Column and Railing Color Options	White	Brown	Almond	Black
	Tan/Wicker	Dark Bronze	Sandstone	

Not all colors available in all styles. Call for specific offerings.

Crown Fiberglass Columns

Spun Cast Round Tapered Fiberglass					
(Total Column Price includes Shaft, ER Cap, & ER Base)					
Shaft Size	Shaft Only Smooth	Shaft Only Fluted	Tuscan Cap & Base	Total Column - Smooth	Total Column - Fluted
6" x 6'		-			-
6" x 8'		-			-
8" x 5'6"		-			-
8" x 6'		-			-
8" x 8'		-			-
8" x 9'		-			-
8" x 10'		-			-
10" x 6'		-			-
10" x 8'		-			-
10" x 9'		-			-
10" x 10'		-			-
10" x 12'		-			-
12" x 6'		-			-
12" x 8'		-			-
12" x 9'		-			-
12" x 10'		-			-
12" x 12'		-			-
12" x 14'		-			-
12" x 16'		-			-
14" x 8'		-			-
14" x 9'		-			-
14" x 10'		-			-
14" x 12'		-			-
14" x 14'		-			-
14" x 16'		-			-
16" x 8'		-			-
16" x 10'		-			-
16" x 12'		-			-
16" x 14'		-			-
16" x 16'		-			-
16" x 18'		-			-
16" x 20'		-			-
18" x 10'		-			-
18" x 12'		-			-
18" x 14'		-			-
18" x 16'		-			-
18" x 18'		-			-
18" x 20'		-			-



Split columns available. Call for pricing.

Many other sizes and options available. Call for availability and pricing.

- = N/A

Round Tapered Fiberglass Cap and Base Options							
Size	Tuscan Poly Cap	Tuscan Poly Base	Attic Base	Roman Corinthian	Scamozzi	Roman Ionic	Temple of Winds
6"							
8"							
10"							
12"							
14"							
16"							
18"							



Cutting the column at the bead is recommended for a decorative cap.

Crown Fiberglass Columns

Spun Cast Round Non-Tapered Fiberglass			
(Total Column Price includes Shaft, ER Cap, & ER Base)			
Shaft Size	Shaft only- Smooth	Tuscan Cap & Base	Total Column - Smooth
8" x 8'			
8" x 9'			
8" x 10'			
10" x 8'			
10" x 9'			
10" x 10'			
10" x 12'			
12" x 8'			
12" x 9'			
12" x 10'			
12" x 12'			
14" x 8'			
14" x 9'			
14" x 10'			
14" x 12'			
14" x 14'			



Synthetic and Wood Porch Post			
Size	Type	Material	Cost
4" x 8'	Colonial	Wood	
4" x 9'	Colonial	Wood	
5" x 8'	Colonial	Wood	
5" x 8'	Colonial	Synthetic	
5" x 8'	Square	Synthetic	
5" x 9'	Colonial	Wood	
5" x 9'	Colonial	Synthetic	
5" x 9'	Square	Synthetic	
5" x 10'	Colonial	Wood	
5" x 10'	Square	Synthetic	
6" x 8'	Colonial	Wood	
6" x 8'	Colonial	Synthetic	
6" x 8'	Chamfered	Synthetic	
6" x 9'	Colonial	Wood	
6" x 9'	Colonial	Synthetic	
6" x 10'	Colonial	Wood	
Polyurethane Skirt for Synthetic Posts			
5" or 6" colonial			
Square			
Chamfered			
Aluminum Plinth for Wood Posts			
4"			
5"			
6"			



Spun Cast Square Non-Tapered							
Total Column Price includes Shaft, Cap, Base, & Bead							
Shaft Size	Shaft Only Smooth	Shaft Only Fluted	Shaft Only Recessed Panel	Tuscan Cap & Base	Total Column - Smooth	Total Column - Fluted	Total Column - Recessed Panel
6" x 8'		-	-			-	-
6" x 9'		-	-			-	-
6" x 10'		-	-			-	-
8" x 8'							
8" x 9'							
8" x 10'							
10" x 8'		-				-	
10" x 9'		-				-	
10" x 10'							
10" x 12'		-	-			-	-
12" x 8'		-				-	
12" x 9'		-				-	
12" x 10'		-				-	
12" x 12'		-				-	
14" x 8'		-				-	
14" x 10'		-				-	
14" x 12'		-	-			-	-
14" x 14'		-				-	

- = N/A



Crown Fiberglass Columns

Craftsman Style Spuncast			
Total includes Shaft, Tuscan Capital, & Tuscan Base			
Shaft Size	Shaft only	Cap & Base	Total Column
10" x 5.5" x 66"			
10.25" x 7.5" x 7'			
10" x 8" x 66"			
12" x 10" x 6'			
12" x 10" x 10'			
14" x 12" x 9'			
16" x 9" x 58"			
16" x 9" x 6'			
16" x 9" x 8'			
16" x 12" x 58"			
16" x 12" x 6'			
16" x 12" x 8'			



PVC L-Wrap - Non Tapered Square			
Shaft Size	Smooth	Raised Panel	Recessed Panel
6" x 6'			
6" x 8'			
6" x 9'			
6" x 10'			
6" x 12'			
8" x 6'			
8" x 8'			
8" x 9'			
8" x 10'			
8" x 12'			
10" x 6'			
10" x 8'			
10" x 9'			
10" x 10'			
10" x 12'			
12" x 6'			
12" x 8'			
12" x 9'			
12" x 10'			
12" x 12'			



PVC L-wraps are non load bearing. They feature a 10 year warranty, paintable cellular PVC, and are suitable for interior or exterior use.



Square Fluted Vinyl Post Wrap			
Size	Cost	Size	
4" x 102"		6" x 102"	
4" x 120"		6" x 120"	
4" & 6" adjustable collar			

PVC L-Wrap - Tapered Square			
Shaft Size	Smooth	Raised Panel	Recessed Panel
10" x 6" x 48"		-	-
10" x 6" x 54"		-	-
10" x 6" x 60"		-	-
10" x 6" x 66"		-	-
10" x 6" x 72"		-	-
10" x 6" x 84"		-	-
10" x 6" x 96"		-	-
10" x 6" x 108"		-	-
10" x 6" x 120"		-	-
12" x 8" x 48"			
12" x 8" x 54"			
12" x 8" x 60"			
12" x 8" x 68"			
12" x 8" x 72"			
12" x 8" x 84"			
12" x 8" x 98"			
12" x 8" x 108"			
12" x 8" x 120"			
16" x 10" x 48"			
16" x 10" x 54"			
16" x 10" x 60"			
16" x 10" x 66"			
16" x 10" x 72"			
16" x 10" x 84"			
16" x 10" x 96"			
16" x 10" x 108"			
16" x 10" x 120"			
20" x 15" x 48"			
20" x 15" x 54"			
20" x 15" x 60"			
20" x 15" x 66"			
20" x 15" x 72"			
20" x 15" x 84"			
20" x 15" x 96"			
20" x 15" x 108"			
20" x 15" x 120"			
24" x 16" x 48"			
24" x 16" x 54"			
24" x 16" x 60"			
24" x 16" x 66"			
24" x 16" x 72"			
24" x 16" x 84"			
24" x 16" x 96"			
24" x 16" x 108"			
24" x 16" x 120"			

- = N/A



Make a timeless statement with Crown Columns

Crown Fiberglass Pergolas

Crown Column® manufactures fiberglass pergola kits using pultrusion technology to produce the strongest yet lightest structures available. Our fiberglass components are strong, lightweight and provide a higher level of aesthetic quality than vinyl or wood pergolas. Stock pergolas come prefinished white and are backed by a Limited Lifetime Warranty.



Stock Fiberglass Pergolas (3 week lead time)

Style	Item
Free Standing	12' x 12' Pergola Kit RD Pultruded NT
Free Standing	14' x 14' Pergola Kit RD Pultruded NT
Free Standing	16' x 16' Pergola Kit RD Pultruded NT
Free Standing	12' x 12' Pergola Kit SQ Pultruded NT
Free Standing	14' x 14' Pergola Kit SQ Pultruded NT
Free Standing	16' x 16' Pergola Kit SQ Pultruded NT
Attached	12' x 10' Pergola Kit SQ Pultruded NT
Attached	14' x 10' Pergola Kit SQ Pultruded NT

Standard with 10" x 8' pultruded columns

Noted dimensions are overhead dimensions.

Stock fiberglass pergolas are prefinished with white ChromaGuard engineered coating, Spartan tails, and are single support rafter with header style.



Spartan Tail

Napa Tail

Many options and customizations available. Call for more information.

Predesigned Freestanding Fiberglass Pergolas

SpunCast™ Round Tapered Column		
Overhead	Column Size	Column Center
12' x 12'	10" x 8'	8' x 8'
12' x 14'	10" x 8'	8' x 10'
12' x 16'	10" x 8'	8' x 12'
12' x 18'	10" x 8'	8' x 14'
12' x 22'	10" x 8'	8' x 18'
14' x 12'	10" x 8'	10' x 8'
14' x 14'	10" x 8'	10' x 10'
14' x 16'	10" x 8'	10' x 12'
14' x 18'	10" x 8'	10' x 14'
14' x 20'	10" x 8'	10' x 16'
14' x 22'	10" x 8'	10' x 18'
16' x 12'	10" x 8'	12' x 8'
16' x 14'	10" x 8'	12' x 10'
16' x 16'	10" x 8'	12' x 12'
16' x 18'	10" x 8'	12' x 14'
16' x 22'	10" x 8'	12' x 18'
18' x 12'	10" x 8'	14' x 8'
18' x 14'	10" x 8'	14' x 10'
18' x 16'	10" x 8'	14' x 12'
18' x 18'	10" x 8'	14' x 14'
18' x 22'	10" x 8'	14' x 18'
20' x 12'	10" x 8'	16' x 8'
20' x 14'	10" x 8'	16' x 10'
20' x 16'	10" x 8'	16' x 12'
20' x 18'	10" x 8'	16' x 14'
20' x 20'	10" x 8'	16' x 16'
20' x 22'	10" x 8'	16' x 18'
22' x 12'	10" x 8'	18' x 8'
22' x 14'	10" x 8'	18' x 10'
22' x 16'	10" x 8'	18' x 12'
22' x 18'	10" x 8'	18' x 14'
22' x 22'	10" x 8'	18' x 18'

Square Pultruded Column		
Overhead	Column Size	Column Center
12' x 12'	10" x 8'	8' x 8'
12' x 14'	10" x 8'	8' x 10'
12' x 16'	10" x 8'	8' x 12'
12' x 18'	10" x 8'	8' x 14'
12' x 22'	10" x 8'	8' x 18'
14' x 12'	10" x 8'	10' x 8'
14' x 14'	10" x 8'	10' x 10'
14' x 16'	10" x 8'	10' x 12'
14' x 18'	10" x 8'	10' x 14'
14' x 20'	10" x 8'	10' x 16'
14' x 22'	10" x 8'	10' x 18'
16' x 12'	10" x 8'	12' x 8'
16' x 14'	10" x 8'	12' x 10'
16' x 16'	10" x 8'	12' x 12'
16' x 18'	10" x 8'	12' x 14'
16' x 22'	10" x 8'	12' x 18'
18' x 12'	10" x 8'	14' x 8'
18' x 14'	10" x 8'	14' x 10'
18' x 16'	10" x 8'	14' x 12'
18' x 18'	10" x 8'	14' x 14'
18' x 22'	10" x 8'	14' x 18'
20' x 12'	10" x 8'	16' x 8'
20' x 14'	10" x 8'	16' x 10'
20' x 16'	10" x 8'	16' x 12'
20' x 18'	10" x 8'	16' x 14'
20' x 20'	10" x 8'	16' x 16'
20' x 22'	10" x 8'	16' x 18'
22' x 12'	10" x 8'	18' x 8'
22' x 14'	10" x 8'	18' x 10'
22' x 16'	10" x 8'	18' x 12'
22' x 18'	10" x 8'	18' x 14'
22' x 22'	10" x 8'	18' x 18'

Predesigned fiberglass pergolas are prefinished with white ChromaGuard engineered coating, Napa tails, and double support rafter, no header style.

American Stairways - Attic Stairways

Step-up the quality of your disappearing stairways. Strength, value and reliability. More stair for your money!

Husky Folding Attic Stairways

Wood Ladders



Model #444 1 x 4 treads, 1 x 4 stringer, 1 x 4 frame, 250 lb rated						
Rough Opening	Ceiling Height	# of treads	Landing Space	Projection	Weight (lbs)	
22" x 48"	8' 5"	10	56"	60"	54	
22" x 54"	8' 9"	11	58"	66"	58	
22" x 54"	10'	13	65"	79"	61	
25 1/2" x 48"	8' 5"	10	56"	60"	58	
25 1/2" x 54"	8' 9"	11	58"	66"	62	
25 1/2" x 54"	10'	13	65"	79"	66	

Model #655 1 x 6 treads, 1 x 5 stringer, 1 x 5 frame, 300 lb rated						
Rough Opening	Ceiling Height	# of treads	Landing Space	Projection	Weight (lbs)	
22" x 48"	8' 5"	10	56"	60"	67	
22" x 54"	8' 9"	11	58"	66"	70	
22" x 54"	10'	13	65"	79"	76	
22" x 60"	10' 8"	13	70"	80"	78	
25 1/2" x 48"	8' 5"	10	56"	60"	70	
25 1/2" x 54"	8' 9"	11	58"	66"	73	
25 1/2" x 54"	10'	13	65"	79"	79	
25 1/2" x 60"	10' 8"	13	70"	80"	88	
30" x 54"	8' 9"	11	59"	66"	84	
30" x 54"	10'	13	66"	79"	92	
30" x 60"	8' 9"	11	59"	66"	90	
30" x 60"	10'	13	66"	79"	96	
30" x 60"	10' 8"	13	70"	80"	98	

Options

3/8" Birch door (standard on 30" & 10'6" models), add	\$	34
Husky class C fire rated stairs, add	\$	46
Insulated door panel with weatherstrip, add	\$	42

Aluminum Ladders



Model #800 Aluminum, 350 lb rated						
Rough Opening	Ceiling Height	# of treads	Landing Space	Projection	Weight (lbs)	
22" x 54"	8' 9"	9	58"	66"	58	
22" x 54"	10'	11	65"	79"	63	
25 1/2" x 54"	8' 9"	9	58"	66"	62	
25 1/2" x 54"	10'	11	65"	79"	66	
30" x 54"	8' 9"	9	59"	66"	67	
30" x 54"	10'	11	66"	79"	71	

Model #1200 Aluminum, 350 lb rated						
Rough Opening	Ceiling Height	# of treads	Landing Space	Projection	Weight (lbs)	
22" x 66"	10' - 12'	13	81"	89"	67	
25 1/2" x 66"	10' - 12'	13	81"	89"	71	
30" x 66"	10' - 12'	13	81"	89"	80	

Bessler Folding Attic Stairways

Wood Ladders



Space Saver 1 x 6 treads, 1 x 5 stringer, insulated door frame, 350 lb rated						
Rough Opening	Ceiling Height	# of treads	Landing Space	Projection	Weight (lbs)	
22 1/2" x 54"	8' 9"	11	58"	66"	67	
22 1/2" x 54"	10'	13	65"	79"	70	
22 1/2" x 60"	9' 3"	12	61"	72"	70	
22 1/2" x 60"	10' 8"	13	70"	80"	75	
25 1/2" x 54"	8' 9"	11	58"	66"	70	
25 1/2" x 54"	10'	11	65"	79"	84	
25 1/2" x 60"	9' 3"	12	61"	72"	73	
25 1/2" x 60"	10' 8"	13	70"	80"	89	
30" x 54"	8' 9"	11	59"	66"	84	
30" x 54"	10'	13	66"	79"	92	
30" x 60"	8' 9"	11	59"	66"	94	
30" x 60"	9' 3"	12	62"	72"	95	
30" x 60"	10'	13	66"	69"	96	
30" x 60"	10' 8"	13	70"	80"	97	

American Stairways - Attic Stairways

Bessler Stairways

Sliding attic stairways



Model #100 1 x 8 treads, insulated door panel, 800 lb rated						
Size	Floor to Floor	Radius Above	Plumb Height above	Run Below	Panel Opening	
1	7' 7" - 7' 10"	4' 4"	3' 2"	6' 5"	2' 6" x 5' 10"	
2	7' 11" - 8' 4"	4' 11"	3' 8"	5' 10"	2' 6" x 5' 10"	
3	8' 5" - 8' 10"	5' 7"	4' 1"	7' 3"	2' 6" x 5' 10"	
4	8' 11" - 9' 4"	6' 2"	4' 6"	7' 7"	2' 6" x 6' 0"	
5	9' 5" - 9' 10"	6' 4"	4' 9"	8' 0"	2' 6" x 6' 4"	
6	9' 11" - 10' 4"	6' 8"	5' 0"	8' 4"	2' 6" x 6' 8"	
7	10' 5" - 10' 10"	7' 0"	5' 3"	8' 9"	2' 6" x 7' 0"	
8	10' 11" - 11' 4"	7' 6"	5' 5"	9' 2"	2' 6" x 7' 3"	
9	11' 5" - 11' 10"	7' 9"	5' 10"	9' 6"	2' 6" x 7' 6"	
10	11' 11" - 12' 4"	8' 1"	6' 1"	9' 10"	2' 6" x 7' 9"	
11	12' 5" - 12' 10"	8' 6"	6' 4"	10' 3"	2' 6" x 8' 0"	

Shipped in 4 cartons. Finished jamb and trim not supplied.



Model #70 1 x 6 treads, insulated door panel, 600 lb rated						
Size	Floor to Floor	Radius Above	Plumb Height above	Run Below	Panel Opening	
1	7' 7" - 7' 10"	4' 1"	2' 11"	5' 4"	2' 6" x 5' 6"	
2	7' 11" - 8' 4"	4' 8"	3' 5"	5' 8"	2' 6" x 5' 6"	
3	8' 5" - 8' 10"	5' 3"	3' 11"	6' 0"	2' 6" x 5' 6"	
4	8' 11" - 9' 4"	5' 10"	4' 5"	6' 4"	2' 6" x 5' 6"	
5	9' 5" - 9' 10"	5' 10"	4' 6"	6' 8"	2' 6" x 6' 0"	
6	9' 11" - 10' 4"	6' 6"	5' 1"	6' 11"	2' 6" x 6' 0"	
7	10' 5" - 10' 10"	7' 1"	5' 5"	7' 4"	2' 6" x 6' 0"	

Shipped in 3 cartons. Finished jamb and trim not supplied.



Model #40 1 x 6 treads, insulated door panel, 600 lb rated						
Size	Floor to Floor	Radius Above	Plumb Height above	Run Below	Panel Opening	
1	7' 7" - 7' 10"	4' 1"	2' 11"	5' 4"	2' 0" x 5' 6"	
2	7' 11" - 8' 4"	4' 8"	3' 5"	5' 8"	2' 0" x 5' 6"	
3	8' 5" - 8' 10"	5' 3"	3' 11"	6' 0"	2' 0" x 5' 6"	
4	8' 11" - 9' 4"	5' 10"	4' 5"	6' 4"	2' 0" x 5' 6"	
5	9' 5" - 9' 10"	5' 10"	4' 6"	6' 8"	2' 0" x 6' 0"	
6	9' 11" - 10' 4"	6' 6"	5' 1"	6' 11"	2' 0" x 6' 0"	
7	10' 5" - 10' 10"	7' 1"	5' 5"	7' 4"	2' 0" x 6' 0"	

Shipped in 3 cartons. Finished jamb and trim not supplied.



Model #30 1 x 6 treads, insulated door panel, 600 lb rated						
Size	Floor to Floor	Radius Above	Plumb Height above	Run Below	Panel Opening	
1	7' 7" - 7' 10"	4' 1"	2' 11"	5' 4"	22 1/2" x 5' 6"	
2	7' 11" - 8' 4"	4' 8"	3' 5"	5' 8"	22 1/2" x 5' 6"	
3	8' 5" - 8' 10"	5' 3"	3' 11"	6' 0"	22 1/2" x 5' 6"	
4	8' 11" - 9' 4"	5' 10"	4' 5"	6' 4"	22 1/2" x 5' 6"	
5	9' 5" - 9' 10"	5' 10"	4' 6"	6' 8"	22 1/2" x 6' 0"	
6	9' 11" - 10' 4"	6' 6"	5' 1"	6' 11"	22 1/2" x 6' 0"	
7	10' 5" - 10' 10"	7' 1"	5' 5"	7' 4"	22 1/2" x 6' 0"	

Shipped in 3 cartons. Finished jamb and trim not supplied.



Model #26/22* 1 x 8 treads, insulated door panel, 800 lb rated						
Size	Floor to Floor	Radius Above	Plumb Height above	Run Below	Panel Opening*	
1	7' 7" - 7' 10"	4' 9"	4' 2"	3' 9"	25 1/2" x 54"	
2	7' 11" - 8' 4"	5' 2"	4' 7"	3' 11"	25 1/2" x 54"	
3	8' 5" - 8' 10"	5' 8"	5' 1"	4' 2"	25 1/2" x 54"	
4	8' 11" - 9' 4"	6' 2"	5' 7"	4' 5"	25 1/2" x 54"	
5	9' 5" - 9' 10"	6' 8"	6' 1"	4' 8"	25 1/2" x 60"	
6	9' 11" - 10' 4"	7' 2"	6' 7"	4' 11"	25 1/2" x 60"	
7	10' 5" - 10' 10"	8' 0"	7' 1"	5' 2"	25 1/2" x 74"	
8	10' 11" - 11' 4"	8' 2"	7' 7"	5' 5"	25 1/2" x 74"	
9	11' 5" - 11' 10"	8' 8"	8' 1"	5' 8"	25 1/2" x 74"	

*22 has a rough opening width of 22 1/2"

Shipped partially assembled in 2 cartons. Finished jamb and trim not supplied.

The model BE-119 is a 1 hour fire rated, 350 lb rated folding wood ladder. It is available in many size options. Please call for more information.

Sun-Tek Skylights

For more than 35 years, Sun-Tek has been manufacturing an All-American-Made skylight, making homes look brighter and more cheerful (and even bigger). You get more than your money's worth. You won't believe the difference skylights make in your home.

Insulated Glass Series

Size	Roof Opening	Curb Dimensions*	Fits on center	Price (Bronze - clear)				
				FGC	FHP	VGC	CMG*	CMGII*
1725	13 1/2" x 30 1/2"	17 1/2" x 25 1/2"	16"	-	-	-	-	-
1733	14 1/2" x 30 1/2"	17 1/2" x 33 1/2"	16"	-	-	-	-	-
1749	14 1/2" x 46 1/2"	17 1/2" x 49 1/2"	16"	-	-	-	-	-
2525	22 1/2" x 22 1/2"	25 1/2" x 25 1/2"	24"	-	-	-	-	-
2533	22 1/2" x 30 1/2"	25 1/2" x 33 1/2"	24"	-	-	-	-	-
2549	22 1/2" x 46 1/2"	25 1/2" x 49 1/2"	24"	-	-	-	-	-
2572	22 1/2" x 69 1/2"	25 1/2" x 72 1/2"	24"	-	-	-	-	-
3333	30 1/2" x 30 1/2"	33 1/2" x 33 1/2"	16" or 32"	-	-	-	-	-
3349	30 1/2" x 46 1/2"	33 1/2" x 49 1/2"	16" or 32"	-	-	-	-	-
4949	46 1/2" x 46 1/2"	49 1/2" x 49 1/2"	16", 24" or 48"	-	-	-	-	-

Shown priced with Low E clear glass. Other glass options available. Call for more information. - = N/A

* Denotes curb mounted model

All Insulated Glass Series skylights come standard with Low E Argon filled glass, a wood lined interior, and a bronze extruded aluminum exterior.



FGC - Self Flashing
A low profile skylight that blends beautifully with the roof line



FHP - Self Flashing
A traditional approach with a 3 1/2" curb



VGC - Self Flashing
Opens to the great outdoors to allow fresh air in



CMG - Curb Mount
Incorporates its own leak proof cap to seal your roof



CMGII - Curb Mount
Similar to the CMG with an increased daylight area



SF - Self Flashing
An all polycarbonate skylight that mounts between your roof deck and shingles



SFPH - Self Flashing
The same great performance of the SF with a faceted flair.



SFA - Self Flashing
A polycarbonate skylight with an extruded aluminum frame



CM - Curb Mount
An all polycarbonate skylight that installs over your own curb



CMA - Curb Mount
A polycarbonate curb mount skylight with an extruded aluminum frame

Polydome Series

Size	Roof Opening	Curb Dimensions*	Fits on center	Price (Bronze - clear)				
				SF	SFPH	SFA	CM*	CMA*
1414	14 1/2" x 14 1/2"	17 1/2" x 17 1/2"	16"	-	-	-	-	-
1422	14 1/2" x 22 1/2"	17 1/2" x 25 1/2"	16" or 24"	-	-	-	-	-
1430	14 1/2" x 30 1/2"	17 1/2" x 33 1/2"	16"	-	-	-	-	-
1446	14 1/2" x 46 1/2"	17 1/2" x 49 1/2"	16"	-	-	-	-	-
1919	19 1/2" x 19 1/2"	22 1/2" x 22 1/2"	24"	-	-	-	-	-
2222	22 1/2" x 22 1/2"	25 1/2" x 25 1/2"	24"	-	-	-	-	-
2230	22 1/2" x 30 1/2"	25 1/2" x 33 1/2"	24"	-	-	-	-	-
2236	22 1/2" x 36 1/2"	25 1/2" x 39 1/2"	24"	-	-	-	-	-
2246	22 1/2" x 46 1/2"	25 1/2" x 49 1/2"	24"	-	-	-	-	-
2269	22 1/2" x 69 1/2"	25 1/2" x 72 1/2"	24"	-	-	-	-	-
3030	30 1/2" x 30 1/2"	33 1/2" x 33 1/2"	16" or 32"	-	-	-	-	-
3046	30 1/2" x 46 1/2"	33 1/2" x 49 1/2"	16" or 32"	-	-	-	-	-
3069	30 1/2" x 69 1/2"	33 1/2" x 72 1/2"	16" or 32"	-	-	-	-	-
3636	36 1/2" x 36 1/2"	39 1/2" x 39 1/2"	32"	-	-	-	-	-
4646	46 1/2" x 46 1/2"	49 1/2" x 49 1/2"	16", 24" or 48"	-	-	-	-	-
4669	46 1/2" x 69 1/2"	49 1/2" x 72 1/2"	16", 24" or 48"	-	-	-	-	-
4689	46 1/2" x 89 1/2"	49 1/2" x 92 1/2"	16", 24" or 48"	-	-	-	-	-


Polydome lights priced as a double dome (Bronze/Clear). Triple dome available. Call for more information. - = N/A

* Denotes curb mounted model

Tube Lights

Size	Roof Opening	Curb Dimensions*	Fits on center	Price (Bronze - clear)	
				STT	STTCM
10	10 1/8"	13 1/2" x 13 1/2"	16" or 24"	-	-
14	14 1/8"	17 1/2" x 17 1/2"	16" or 24"	-	-
21	21 1/8"	24 1/2" x 24 1/2"	24"	-	-

Tube Lights come standard with 48" of tube. Additional accessories available.



STT - Self Flashing
An easy to install polycarbonate dome Tube Light



STTCM - Curb Mount
Same specs as a STT model but in a curb mount version.



Shutters

We offers high-quality shutters built to look as good as your home - whether it's brick, stone, vinyl siding, stucco or wood. Mastic achieves tremendous quality through their use of advanced UV stabilizers and a tough acrylic coating - backed by an industry leading Limited Lifetime Warranty. They offer several panel varieties as well as a wide variety of standard sizes and a custom length program. Wrap your home in the beauty and elegance with our shutter collection.

Available Colors



Colors shown may vary slightly from the actual color



Louvered & Raised Panel Shutters		
Size	Louvered	Raised Panel
15" x 25"		N/A
15" x 31"		
15" x 35"		
15" x 39"		
15" x 43"		
15" x 47"		
15" x 51"		
15" x 55"		
15" x 59"		
15" x 63"		
15" x 67"		
15" x 67"*		
15" x 71"		
15" x 75"		
15" x 81"		
ARCH 15"		
TRANRP 15"	N/A	

* Denotes cottage style



Board and Batten Shutters		
Size	3 Board*	4 Board**
31"		
35"		
39"		
43"		
47"		
51"		
55"		
59"		
63"		
67"		
71"		
75"		
81"		

* Available in 12" (open board) and 11" (closed board)
 ** Available in 16" (open board) and 15" (closed board)

Custom Shutters

12" or 15" available in 18" - 96" length (in 1" increments)



Safe-Way Garage Doors

Safe-Way doors offer the style, energy savings and choices for today's homeowner or commercial business. Our garage doors feature commercial-grade hardware and superb craftsmanship to ensure long-lasting durability and outstanding beauty.

Choice Series

Model 56/58 - 2" thick 25 gauge, Non-insulated

Width	Panels 56/58	Door Height						
		6'6" - 7' 4 sections	7'6" - 8' 4 sections	9' 5 sections	10' 5 sections	11' 6 sections	12' 6 sections	14' 7 sections
8'	4/2							
9'	4/2							
10'	5/2							
12'	6/3							
14'	7/3							
15'	7/4							
16'	8/4							
18'	8/4							

Model 57/59 - 2" thick 25 gauge, Insulated (R6 polystyrene with vinyl backer)

Width	Panels 57/59	Door Height						
		6'6" - 7' 4 sections	7'6" - 8' 4 sections	9' 5 sections	10' 5 sections	11' 6 sections	12' 6 sections	14' 7 sections
8'	4/2							
9'	4/2							
10'	5/2							
12'	6/3							
14'	7/3							
15'	7/4							
16'	8/4							
18'	8/4							

2" Angle Mounted Track, add

Angle mounted track recommended for doors beneath the heavy line



56/57 - short raised panel



58/59 - long raised panel


Glass options for Model 56-59

Width	Plain Lites Short	Estate Inserts Shorts	Gentry Design Short	Plain Lites Long	Estate Inserts Long	Gentry Design Long
8'						
9'						
10'						
12'						
14'						
15'				-	-	-
16'						
18'						

Estate insert price must be added to plain lites for total cost of windows with inserts

- = N/A

Available colors:



White



Almond



Sandstone



Dessert Tan



Brown

Non-listed widths - next larger size and add 15%

Non-listed heights - next larger size

Standard track includes 12" or 15" radius and torsion springs. Other track designs available. Call for more information.

Safe-Way Garage Doors

Deluxe Plus Series

Model 65, 66, 67 & 69 - 2" Sandwich door 27 gauge - Insulated (R10.25 with steel backer)

	Door Height							
Width	6'6" - 7'	7'6" - 8'	9'	10'	11'	12'	14'	16'
	4 sections	4 sections	5 sections	5 sections	6 sections	6 sections	7 sections	8 sections
8'								
9'								
10'								
12'								
14'								
15'								
16'								
18'								
20'								

Angle mounted track recommended for doors beneath the heavy line

Italicized priced doors include a solid shaft



65 - short raised panel



67 - medium raised panel



66 - flush panel



68 - long raised panel

Glass options for Model 65, 66, 67 & 69

Width	Panels 65/67/69	Plain Lites Short	Plain Insul. Lites Short	Estate Inserts Short	Gentry Design Short	Plain Lites Medium	Plain Insul. Lites Medium
8'	4/3/2						
9'	4/3/2						
10'	5/3/2						
12'	6/4/3						
14'	7/5/3						
15'	7/5/4						
16'	8/6/4						
18'	8/6/4						
20'	10 (65 & 66 only)					-	-

Width	Estate Inserts Medium	Gentry Design Medium	Plain Lites Long	Plain Insul. Lites Long	Estate Inserts Long	Gentry Design Long
8'						
9'						
10'						
12'						
14'						
15'			-	-	-	-
16'						
18'						

- = N/A

Estate insert price must be added to plain lites for total cost of windows with inserts

Available colors:



White



Almond



Sandstone



Dessert Tan



Brown



Hunter Green



Safe-Way Garage Doors

Regency Madera

Model 70, 71, 72, 73 & 74 - 2" "Wood Look" Sandwich door 27 gauge - Insulated (R10.25 with steel backer)

Width	Door Height							
	6'6" - 7'	7'6" - 8'	9'	10'	11'	12'	14'	16'
	4 sections	4 sections	5 sections	5 sections	6 sections	6 sections	7 sections	8 sections
8'								
9'								
10'								
12'								
14'								
15'								
16'								
18'								
20'								
2" Angle Mtd Track, add								
3" Angle Mtd Track, add								

Angle mounted track recommended for doors beneath the heavy line

Italicized priced doors include a solid shaft

Glass options for Model 70, 71, 72 & 74

Width	Panels 70,74/71/72	Plain Lites Short	Plain Insul. Lites Short	Estate Inserts Short	Gentry Design Short	Plain Lites Medium	Plain Insul. Lites Medium
8'	4/3/2						
9'	4/3/2						
10'	5/3/2						
12'	6/4/3						
14'	7/5/3						
15'	7/5/4						
16'	8/6/4						
18'	8/6/4						
20'	10 (70 & 74 only)					-	-

Width	Estate Inserts Medium	Gentry Design Medium	Plain Lites Long	Plain Insul. Lites Long	Estate Inserts Long	Gentry Design Long
8'						
9'						
10'						
12'						
14'						
15'			-	-	-	-
16'						
18'						

- = N/A

Estate insert price must be added to plain lites for total cost of windows with inserts

Glass options and carriage house hardware available for the Model 73. Please call for more information.



Oak



Rosewood



70 - standard raised panel



71 - medium raised panel



72 - long raised panel



73 - stamped carriage



74 - flush

Safe-Way Garage Doors

Sophisticate Series

Model 40 - 2" thick 24 gauge Stamped Carriage House door - Uninsulated

Width	Panels	Door Height						
		6'6" - 7'	7'6" - 8'	9'	10'	11'	12'	14'
		4 sections	4 sections	5 sections	5 sections	6 sections	6 sections	7 sections
8'	4							
9'	4							
10'	4							
12'	6							
14'	6							
15'	6							
16'	8							
18'	8							

Model 41 - 2" thick 24 gauge Stamped Carriage House door - Insulated (R6)

Width	Panels	Door Height						
		6'6" - 7'	7'6" - 8'	9'	10'	11'	12'	14'
		4 sections	4 sections	5 sections	5 sections	6 sections	6 sections	7 sections
8'	4							
9'	4							
10'	4							
12'	6							
14'	6							
15'	6							
16'	8							
18'	8							
2" Angle Mounted Track								
3" Angle Mounted Track								

Angle mounted track recommended for doors beneath the heavy line
 Italicized priced doors include a solid shaft

Provincial Line

Model 68 - 2" Sandwich door 27 gauge Stamped Carriage House door - Insulated (R10.25 with steel backer)

Width	Panels	Door Height						
		6'6" - 7'	7'6" - 8'	9'	10'	11'	12'	14'
		4 sections	4 sections	5 sections	5 sections	6 sections	6 sections	7 sections
8'	4							
9'	4							
10'	4							
12'	6							
14'	6							
15'	6							
16'	8							
18'	8							
20'	8							
2" Angle Mounted Track								
3" Angle Mounted Track								

Glass options for models 40-41 & 68

Width	Plain Lites Short	Plain Lites Ins. Short	Estate Inserts Shorts	Plain Lites Long	Plain Lites Ins. Long	Estate Inserts Long
9'						
10'						
12'				-	-	-
14'				-	-	-
15'				-	-	-
16'						
18'						
20'						



Model 68 shown with long lites - Estate Cascade inserts

Estate insert price must be added to plain lites for total cost of windows with inserts

- = N/A


Carriage House doors include 2 - 8 3/4" pull handles and 4 - 16" strap hinges with screws.

Safe-Way Garage Doors

Residential Garage Door Glass Styles

Estate Window Series


Standard raised panel



Medium raised panel




Long Ranch raised panel




Gentry Window Series*


Standard raised panel



Medium raised panel



Long Ranch raised panel



*Safe-way recommends viewing samples of Gentry style window prior to ordering. Gentry depictions on this literature are actual photography, however, lighting inside or outside the garage can significantly impact the "look" of these windows.

Safe-Way Garage Doors

Model 240 - 2" thick 24 gauge ribbed steel - Noninsulated - Commercial

Width	Door Height							
	8'	9'	10'	11'	12'	14'	16'	18'
	4 sections	5 sections	5 sections	6 sections	6 sections	7 sections	8 sections	9 sections
8'								
9'								
10'								
12'								
14'								
16'								
18'								
20'								
22'								
24'								
26'								
28'								
30'								
2" AMT								N/A
3" AMT								Std

Glazing

6" x 24" (uninsulated glass in white frame)

12" x 24" (uninsulated glass in black frame)

Model 243 - 2" thick 24 gauge ribbed steel - Insulated (R6) - Commercial

Model 243 -

Width	Door Height							
	8'	9'	10'	11'	12'	14'	16'	18'
	4 sections	5 sections	5 sections	6 sections	6 sections	7 sections	8 sections	9 sections
8'								
9'								
10'								
12'								
14'								
16'								
18'								
20'								
22'								
24'								
2" AMT								N/A
3" AMT								Std

Glazing

6" x 24" (uninsulated glass in white frame)

6" x 24" (1/2" insulated glass in black frame)

12" x 24" (1/2" insulated glass in black frame)



Safe-Way Garage Doors

Liftmaster® openers offer rugged reliability and exceptional all-around performance. Manufactured with the highest level of safety and monitoring systems, rest easy knowing that your operator will safely operate.

Residential Openers

Model	Power	Drive System	Warranty	Remote	Price		
					7' rail	8' rail	10' rail
8355	1/2 HP	belt drive	Lifetime motor & belt	3 button			
8365	1/2 HP	chain drive	Lifetime motor	2 - 3 btn			
8240	1/2 HP	screw drive	Lifetime motor	3 button			-
8165	1/2 HP	chain drive	4 year motor	Sngl btn			
8065	1/2 HP	chain drive	4 year motor	Sngl btn			
8500 (Jackshaft)	DC power - 800 Newtons	direct drive	Lifetime motor	3 button			
8550	DC power - 800 Newtons	belt drive	Lifetime motor & belt	3 button			
8360	DC power - 800 Newtons	chain drive	Lifetime motor	3 button			
8587	3/4 HP	chain drive	Lifetime motor	3 button			
8557	3/4 HP	belt drive	Lifetime motor & belt	3 button			

Keypad Wireless Entry, 377LM

- = N/A

Additional transmitters and keypads available upon request. Call for more information and pricing.

Commercial Openers

Model	Power	Drive System	Warranty	Price			
				10' rail	12' rail	14' rail	16' rail
MJ5011	1/2 HP	medium duty jackshaft	2 year				
J5011	1/2 HP	industrial duty jackshaft	2 year				
MH5011	1/2 HP	medium duty hoist	2 year				
MT5011	1/2 HP	medium duty trolley	2 year				
T5011	1/2 HP	low profile industrial trolley	2 year				



Shown: Model 8365 - Stock opener in 7', 8', & 10' height



Shown: Model MT5011 - Stock opener in 10', 12', & 14' height

Additional Garage Door Accessories

Description	Cost
Punched angle iron - 1 1/4" x 1 1/4" x 10' - 14 gauge	
Bottom astragal, Standard 4"	
Bottom astragal retainer - aluminum	
Bottom seals - universal 10' 2" x 2"	
Bottom seals - universal 16' 2" x 2" or 1 3/8"	
Hinges 14 gauge - #1, #2, #3 or #4	
Lock, residential slide type	
Lock, keyed t-lock with snap latches	
Operator reinforcement bracket - 21"	
Quick turn brackets - cuts headroom by 2" (pair)	
Roller assembly - standard 2" nylon	
Torsion spring for 9 x 7 garage door	
Torsion springs (pair) for 16 x 7 garage door	
Torsion tubes - 16 gauge galvanized for 9' or 10' wide door	
Torsion tubes - 16 gauge galvanized for 16' or 18' wide door	
Track assembly with brackets - 7' - 12" or 15 radius	
Track assembly with brackets - 8' - 12" or 15 radius	
Trusses - 9'/10' - 2 1/4" 22 gauge - galvanize	
Trusses - 16' - 2 1/4" 22 gauge - galvanize	
Trusses - 18' - 2 1/4" 22 gauge - galvanize	
Weth-R-stop seal - 14' (available in white, brown, almond or sandstone)	
Weth-R-stop seal - 16' (available in white, brown, almond or sandstone)	

Fypon

Fypon is the recognized leader in polyurethane product design, innovation and moulding technology. From old world style to classic modern design, Fypon offers the largest and most architecturally correct styles and designs of moulding and trim.

Window and Door Trim

- Crossheads and Pediments
- Pilasters
- Window & Door Trim
- Keystones



Mouldings

- Crown & Cornice Mouldings
- Flat Trim & Brick Mould
- Trim & Casing
- Dental & Decorative Mouldings
- Plinth Blocks
- Crown E-vent



Decorative Millwork

- Brackets, Knee Braces & Dentic Blocks
- Gable Pediments
- Exterior & Interior Accents



Louvers & Gable Vents

- Decorative & Functional Louvers
- Louver Trim



Most Fypon pieces available based on a 2-4 week lead time.

Please contact us for more information and specific part numbers.

Masonite Exterior Doors



Delivering Complete Door Solutions

Masonite is committed to delivering unsurpassed performance in exterior doors and glass products. We want to provide not just a door, but a total experience, giving you a complete line of products, services and support tools designed around your success.

With leading-edge product innovation and manufacturing excellence, Masonite is the premier name in entry doors, offering the most extensive portfolio of door designs and styles available. Francis-Schulze, Thrush & Son's wholesaler, enhances those entry doors with top quality components and materials, creating a pre-hung door system that provides the exceptional performance our customers have come to expect. Each door is meticulously completed by skilled craftsmen using a combination of state-of-the-art equipment and handcrafted details.



For more information, visit www.YourWindowTeam.com or call (888)349.8889